STERIGENIX

CERTIFICATE OF ANALYSIS

REPORT # RPT-2026-296048

Client PurgoLabs LLC **Analyzed** 08/31/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157 / TB-500 Blend	**Form**	Lyphilized
Batch	PL-04-WV6	**Labeled Qty**	10MG
Mol. Formula	C62H98N16O22 + C212H350N56O78S	**CAS Number**	137525-51-0, 77591-33-4
Cap Color	White	**Crimp Color**	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	BPC-157 / TB-500 Blend	**BPC-157 / TB-500 Blend**	✓
Batch Avg Purity (HPLC)	(>98%)	**99.34**	✓
Net Peptide Content	10MG ± 10%	**5.13/5.20| 10.33**	✓

HEAVY METAL SCREENING


Not Tested.

BATCH CONFORMITY RESULTS

Not Tested.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · WOLVERINE DETECTOR: UV 214 NM · 08/31/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY CHECK

Dr. R. Caldwell
ANALYST
ID: AN-3271

Dr. P. Andersen
QC REVIEWER
ID: QR-5418

Dr. H. Whitman
QA DIRECTOR
ID: QA-1090

sterigenixanalytical.com/verify

Report#: RPT-2026-296048
Access Code: SGX-PUR-2026-0825-D79