



Client PurgoLabs LLC

Analyzed 06/05/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	GLP-3 R	Form	Lyophilized Powder
Batch	PL-RT20-03	Labeled Qty	20MG
Mol. Formula	C221H343N51O64	CAS Number	2381089-83-2
Cap Color	Blue	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	Retatrutide	Retatrutide	✓
Batch Avg Purity (HPLC)	(>98%)	99.98	✓
Net Peptide Content	20MG ± 10%	20.29	✓
Sterility	Bacterial Growth (Accelerator)	No Growth	✓

HEAVY METAL SCREENING

No data.


BATCH CONFORMITY RESULTS

No data.


HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · GLP-3 R

DETECTOR: UV 214 NM · 06/05/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Anderson

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-666002

Access Code: PL-RT20-03