



Client PurgoLabs LLC

Analyzed 07/16/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	DSIP 10MG	Form	Lyophilized
Batch	PL-DSIP-02	Labeled Qty	10MG
Mol. Formula	C35H48N10O15	CAS Number	62568-57-4
Cap Color	White	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	DSIP	DSIP	✓
Batch Avg Purity (HPLC)	(>98%)	99.12%	✓
Net Peptide Content	10MG ± 10%	10.87	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS


No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · DSIP 10MG	DETECTOR: UV 214 NM · 07/16/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-458052

Access Code: PL-DSIP-02